

Altair[®] FluxMotor[®] 2022.3

Script Factory

General user information

Altairhyperworks.com

Contents

1	Scr	ript Factory overview	3			
1	1.1	Main areas of Script Factory	3			
1	1.2	How to get into Script Factory?	3			
1	1.3	Advice for use	4			
2	Py	thon file management	5			
	2.1	New file	5			
	2.2	Edit a file	6			
	2.3	Duplicate a file	7			
2.4		Delete a file				
2	2.5	Store a file	9			
2	2.6	Save a file	10			
2	2.7	Run and Stop	11			
2	2.8	Editor	12			
	2.8	B.1 Editor main functionality	12			
	2.8	B.2 FluxMotor command help files	12			
	2.8	B.3 Log and error	13			
	2.8	8.4 Open a file in system explorer	14			
3	Mi	iscellaneous topics	15			
3	3.1	Script for filling the slots	15			
3	3.2	Feasibility of the winding architecture and the slot filling	16			

1 SCRIPT FACTORY OVERVIEW

1.1 Main areas of Script Factory

"Script Factory" is a dedicated application to create and manage python Altair® FluxMotor® scripts.

The application includes:

- Workspace in tree format
- Script files functionality as "New, Duplicate and Delete"
- Launcher of python script with "Run and Stop" function

Classical functions such as "Save, Undo, Redo and Store" are also available.

1.2 How to get into Script Factory?

Two ways are possible:

- 1) From Supervisor, click on "Script Factory" button
- 2) From Motor Factory / Export environment / Script, it is possible to open the python script of a current motor with all the needed commands defining it.







1.3 Advice for use

Altair[®] FluxMotor[®] is a dedicated platform, which can be used for the predesign of electrical motors. The target of Altair[®] FluxMotor[®] is to get a quick overview of technical and economic potential of motors.

The motive of the Script Factory is to give the possibility to automate some study such as lunch serial tests or serial design winding configurations.





2 PYTHON FILE MANAGEMENT

2.1 New file

In Script Factory application, a new python file can be created and stored in the selected workspace.

	1	2 3	
Script Factory			
	FILES LAUNCHER Image: New Dupucate Delete Image: New Stop		(?)
SCRIPTS WORKSPACE			
	Create Python script File name * New Parent directory * [C:Wsers/spere	NDeskton/Scrint Factory	
		× ?	
		under a Origin ()	
Dy aliaking on the is	HOW to create a nev	v python Script?	
E DV CIICKING ON THE ICC	JII - INEVVIIII THE FILES MENU.		
	withon parint		



2.2 Edit a file

In Script Factory application, a selected python file from the workspace tree can be edited.



Note: A double click on the python file directly open it in the editor.





2.3 Duplicate a file

In Script Factory application, a selected python file from the workspace tree can be duplicated in a parent directory.

	1	2		3 (4
	Script Factory				
		FILES	LAUNCHER RUN STOP		?
	C:Usersispere/Desidop Script Factory		Duplicate Python script File name * Prius_2004_Duplic	ited •	
	1.00	ERROR	Parent directory * CUSers/sperezD	sktop\Script_Factory	• •
		How to dup	licate a python Script	from the wor	kspace tree?
1	Select a python file in	the workspace	tree.		
2	Click on the icon DUPI "Duplicate" option.	LICATE in the	FILES menu or right o	lick on the se	lected python file and then select the
3	Give a name to the py	thon script.			
4	Select a parent workin	g directory (Th	e default one is the cu	irrent workspa	ace).



2.4 Delete a file

In Script Factory application, a selected python file from the workspace tree can be deleted.

Script Factory	
Image: Point state Files LAUNCHER Image: Point state Image: Point state Image: Point state Image: Point state Image: Point state Image: Point state	
SCRIPTS WORKSPACE CUMersingerez/DeshtopScript Factory Phra. 2004. Drophy Phra. 2004. Drophy Edit	
Delete Python script	
Do you want to delete the file: Prius_2004_Duplicated.py ?	
Yes No	
How to delete a python Script from the workspace tree?	
Select a python file in the workspace tree. Click on the icon DELETE in the ElLES many or right click on the selected python file and then coloct the "Delete"	ontion
3 Click on "Yes" to confirm the file delete.	opiion.

2.5 Store a file

In Script Factory application, a selected python file from the workspace tree can be stored.

(2 (1) 3 4
sc.	cript Factory	
	≝) 55 _{BCR}	IPTS FILES LAUNCHER
	tore a backup of the edited file (Ctri rrispered/DesktopiScopt Fac by pr pr 2 cool ey	In the constant of the cons
	1	How to store a python Script from the workspace tree?
1	Select a pyt	hon file in the workspace tree.
2	Click on the	icon STORE via the top expanded menu.
3	Give a name	e to the python script you want to store.
4	Select a par	ent working directory (The default one is the current workspace).

Note:

• To "Store" a file you can also use the classical shortcut keyboard "Ctrl+T"



2.6 Save a file

Save As and Save functions:

In Script Factory application, an edited python file can be saved with a new name (Save As function) or with the same name (Save function).



Note:

- To "Save" a file you can also use the classical shortcut keyboard "Ctrl+S"
- To "Save as" a file you can also use the classical shortcut keyboard "Ctrl+E"



2.7 Run and Stop

In Script Factory application, there is a launcher of python file, that means an edited python file can be run and stop.



2.8 Editor

Script Factory editor is located at the center panel of the application, and it allows to edit the python script in the usual way.

2.8.1 Editor main functionality

The editor proposed the following basic functionality through shortcut keyboard:

- "Save" a file "Ctrl+S"
- "Save as" a file "Ctrl+E"
- "Store" a file "Ctrl+T"
- "Find and replace" a string "Ctrl+F"
- "Undo" an action "Ctrl+Z"
- "Redo" an action "Ctrl+Y"
- "Close" the application Script Factory "Ctrl+Q"

2.8.2 FluxMotor command help files





2.8.3 Log and error

	(1)(2)	
	<u></u>		
Script Fa	actory		
	SCRIPTS	FILES LAUNCHER Image: New Dublicate Delete New Dublicate Delete	
SCRIPTS W	ORKSPACE	Priz.2004 99	
C-\Users\sper	reziDesistopiScript Factory 🔲 🖉	i Motorractary 2027.7.0	
Prost_2004_Store py		<pre>i lagert sub_{17222} i lagert sub_{172222} i lagert sub_{17222} i lagert sub_{17222} i l</pre>	
		<pre>public Argumete detters: 3 logflausemerFXDmarch reside=pathon/Thum_Flumbotor/Flum_Flumbotor_2022_2_0/flum/Flumbotor/Third_party/AljGk/dist\mhared_lbs/wis64_#64 monlar_pathon/Thum_Flumbotor/Flum_Flumbotor_Third_party/AljGk/dist\mhared_lbs/wis64_#64 monlar_pathon/Thum_Flumbotor/Flum_Flumbotor/Third_party/AljGk/dist\mhared_lbs/wis64_#64 monlar_pathon/Thum_Flumbotor/Flum_Flumbotor/Third_party/AljGk/dist\mhared_lbs/wis64_#64 </pre>	
		(running)	
		LOG and EPPOR tabs	
		LOG and LINKOK labs	
	been executed	correctly or not	
	ERROR tabs of	ive the error message (as populo does in GUI environments)	

2.8.4 Open a file in system explorer

In Script Factory application, a selected python file from the workspace tree can open in system explorer.



3 MISCELLANEOUS TOPICS

3.1 Script for filling the slots

From the drop-down menu available on the left top part of Motor Factory, it is possible to open a "Debug" dialog box, in which the script commands can be written and executed.

A new command dedicated to the slot filling has been implemented. It allows to define and apply the geometric slot filling (height filling factor).

Here is the definition, Geometric fill factor = Height filling factor



The script command is:

setDiameterBasedOnGeometricalFillFactor(geoFF=0.65,noTurnsPerCoil=12,noWiresInHand=4)

In this example, the goal is to find the wire diameter, which allows to define a geometric fill factor equal to 0.65 by considering a coil built with 12 turns and 4 wires in hand (in parallel).

but Image: Comparison of the spectral of the spectra of the spectral of the spectral of the spec
--





Note: This script command can run for tooth winding slot a well. In that case the definition of the geometric fill factor = Height filling factor, can be illustrated as below:





3.2 Feasibility of the winding architecture and the slot filling

For information, a script command (**isWindingValid()**) allows to know if the winding is feasible or not.

This is useful from the winding architecture point of view and for the slot filling as well. This command will be able to be used inside an optimization process to select only the relevant winding configurations for example.

